

# Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone:

+61 2 9229 6420

Email:

info@geneabiomedx.com

Website:

geneabiomedx.com

## Product Details

**Product description:** Sperm Buffer  
**Product code** SPB-50  
**Lot number:** J000006211  
**Expiry date:** 17 Sep. 2024

## Intended Use

Sperm Buffer is used to wash and resuspend sperm for the insemination step in intrauterine insemination (IUI), IVF or in diagnostic washing.

## Product Analysis

Assay	Specification	Result
pH at 25 °C in air	7.30 – 7.50	Pass
Osmolality	285 – 295 mOsm/kg	Pass
MEA	MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours	Pass
Sperm Toxicity Test	Sperm Survival Tested	Pass
Endotoxin	<0.4 EU/mL	Pass
Sterility	No Growth	Pass
HSA Analysis	7.5 – 12.5 mg/mL	Pass
Gentamicin	0.0075 – 0.0125 mg/mL	Pass

Product passed and released by Quality

Signature:

Name:

Eila McGregor

Job Title:

Quality Assurance Associate

Date:

06 Nov. 2023