

Certificate of Analysis



Level 2, 321 Kent Street, Sydney NSW 2000, Australia

Phone:

+61 2 9229 6420

Email:

info@geneabiomedx.com

Website:

geneabiomedx.com

Product Details

| | |
|----------------------|----------------------|
| Product description: | Fertilisation Medium |
| Product code: | FEM-50 |
| Lot number: | J000006238 |
| Expiry date: | 07 Oct. 2024 |

Intended Use

Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm, to promote optimal fertilisation rates.

USA only: Gems Fertilisation Medium is used to provide a suitable environment for both oocytes and sperm and support *in vitro* fertilisation. This medium can be used for transfer of zygotes into the uterus.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician or practitioner trained in its use.

Product Analysis

| Assay | Specification | Result |
|-------------------------------------|--|--------|
| pH at 37°C with 6 % CO ₂ | 7.30 – 7.50 | Pass |
| Osmolality | 295 – 305 mOsm/kg | Pass |
| MEA | MEA (1-cell): ≥80% developed to blastocyst stage or beyond by 96 hours | Pass |
| Endotoxin | <0.4 EU/mL | Pass |
| Sterility | No Growth | Pass |
| HSA Analysis | 3.8 – 6.2 mg/mL | Pass |
| Gentamicin | 0.0075 – 0.0125 mg/mL | Pass |

Product passed and released by Quality

Signature:

Name:

Eila McGregor

Job Title:

Quality Assurance Associate

Date:

27 Nov. 2023